



anthracite / red

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePERFORMANCE

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



ARTIKELNUMMER / ORDER NUMBER

27.5"	S	45126150	anthracite / red
27.5"	M	45126154	anthracite / red
27.5"	L	45126158	anthracite / red
27.5"	XL	45126162	anthracite / red

TREKKING-CROSS
TREKKING 9
 LOWSTANDOVER

HAIBIKE



anthracite / red

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePERFORMANCE

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



ARTIKELNUMMER / ORDER NUMBER

27.5"	XS	45128140	anthracite / red
27.5"	S	45128144	anthracite / red
27.5"	M	45128148	anthracite / red
27.5"	L	45128152	anthracite / red

TREKKING-CROSS
TREKKING 9
 LOWSTEP

HAIBIKE



anthracite / red

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePERFORMANCE

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | STVZO

ARTIKELNUMMER / ORDER NUMBER

27.5"	S	45130146	anthracite / red
27.5"	M	45130150	anthracite / red
27.5"	L	45130154	anthracite / red