

SINUS

Sinus iX10 Herren



concrete

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	/ Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Euromover Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Schaltauge / Hanger	XLC 2501170018
Gewicht / Weight	24.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross


500Wh	BOSCH	27,5"	MRS	RANGE EXTENDER READY*	SWZO
-------	-------	-------	-----	-----------------------	------

ARTIKELNUMMER / ORDER NUMBER

27.5"	48	4441001048	concrete
27.5"	52	4441001052	concrete
27.5"	56	4441001056	concrete
27.5"	60	4441001060	concrete

SINUS

Sinus iX10 Damen



concrete

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	/ Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Schaltauge / Hanger	XLC 2501170018
Gewicht / Weight	24.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh	BOSCH	27,5"	MRS	RANGE EXTENDER READY*	SWZO
-------	-------	-------	-----	-----------------------	------

ARTIKELNUMMER / ORDER NUMBER

27.5"	44	4441011044	concrete
27.5"	48	4441011048	concrete
27.5"	52	4441011052	concrete

SINUS

Sinus iX10 Einrohr



concrete

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	/ Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Schaltauge / Hanger	XLC 2501170018
Gewicht / Weight	24.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh	BOSCH	27,5"	MRS	RANGE EXTENDER READY*	SWZO
-------	-------	-------	-----	-----------------------	------

ARTIKELNUMMER / ORDER NUMBER

27.5"	46	4441021046	concrete
27.5"	50	4441021050	concrete
27.5"	54	4441021054	concrete